

LOT	QTY	DESCRIPTION	NOTE
(LOCATED - BALLERA, QUEENSLAND)			
1		<p>CUMMINS POWER GENERATION SILENCED CASE GENSET MOD: C400D5 S/NO: A14K6277858 DOM: 2014 MAST: 5,698kg GENERATOR STAMFORD 400KVA @ 1500RPM CONTINUOUS DUTY 320KW 415V 50HZ SOUND LEVEL 68 DB @ 15m HOURS: 500-900 EST POWERED BY CUMMINS 6 CYLINDER TURBO DIESEL, WATER COOLED PLC CONTROLLER, SUB BELLY FUEL TANK (LOCATED - BALLERA, QUEENSLAND) (SET 3)</p>	
2		<p>CUMMINS POWER GENERATION SILENCED CASE GENSET MOD: C400D5 S/NO: A14K627760 DOM: 2014 MAST: 5,698kg GENERATOR STAMFORD 400KVA @ 1500RPM CONTINUOUS DUTY 320KW 415V 50HZ SOUND LEVEL 68 DB @ 15m HOURS: 1,500 EST POWERED BY CUMMINS 6 CYLINDER TURBO DIESEL, WATER COOLED PLC CONTROLLER, SUB BELLY FUEL TANK (LOCATED - BALLERA, QUEENSLAND) (SET 4)</p>	
3		<p>PACKAGED GENSET, CATERPILLAR GENERATOR SR4 260KVA PRIME POWER @ 1500RPM-50HZ 210KW 415V DOM: 1984 POWERED BY 6 CYLINDER CATERPILLAR DIESEL SELF CONTAINED CABIN, BELLY FUEL TANK ON SKID BASE (LOCATED - BALLERA, QUEENSLAND) (S02)</p>	
4		<p>PACKAGED GENSET, CATERPILLAR GENERATOR SR4 260KVA PRIME POWER @ 1500RPM-50HZ 210KW 415V DOM: 1984 POWERED BY 6 CYLINDER CATERPILLAR DIESEL SELF CONTAINED CABIN, BELLY FUEL TANK ON SKID BASE (LOCATED - BALLERA, QUEENSLAND)</p>	

LOT	QTY	DESCRIPTION	NOTE
5		RELOCATABLE SEWERAGE TREATMENT PLANT OZZI KLEEN CYCLIC AERATION BIOLOGICAL TREATMENT PROCESS PLANT DOM: 2008 10,000 LTR PROCESSING PER DAY, COMPRISING CONCRETE RAW SEWERAGE INFLOW TANK 2 x 15 BANK INLET MANIFOLDS ISO COMPLIANT 20ft STEEL SHIPPING CONTAINER ROOF MOUNT INLET SCREEN WITH HAND RAIL & ACCESS STEPS MAIN PROCESS TANK, HOUSED IN CONTAINER PLC VARIABLE LED PROCESS SWITCHGEAR 2 x AERATOR PUMPS 4 x SLUDGE/PRESSURE PUMPS (LOCATED - BALLERA, QUEENSLAND)	
5a		GALVANISED ACCESS PLATFORM 2,500mm (H) 1800 X 2100mm APPROX WITH HAND RAIL BOLTED FRAME (LOCATED - BALLERA, QUEENSLAND)	

(LOCATED - MOOMBA, S.A.)

6		CUMMINS POWER GENERATION SILENCED CASE GENSET MOD: C400D5 S/NO: L13K603802 DOM: 2013 MASS: 5,698kg GENERATOR STAMFORD 400KVA 320KW 415V 50HZ SOUND LEVEL 68 DB @ 15m HOURS: 1,500 EST POWERED BY CUMMINS 6 CYLINDER TURBO DIESEL, WATER COOLED PCC2100 CONTROLLER, SUB BELLY FUEL TANK DIMENSIONS: 5100 (L) x 1500 (W) x 1800mm (H) (LOCATED - MOOMBA, S.A.) (SET 1)	
7		CUMMINS POWER GENERATION SILENCED CASE GENSET MOD: C400D5 S/NO: L13K603801 DOM: 2013 MASS: 5,698kg GENERATOR STAMFORD 400KVA 320KW 415V 50HZ SOUND LEVEL 68 DB @ 15m HOURS: 1,500 EST POWERED BY CUMMINS 6 CYLINDER TURBO DIESEL, WATER COOLED PCC2100 CONTROLLER, SUB BELLY FUEL TANK DIMENSIONS: 5100 (L) x 1500 (W) x 1800mm (H) (LOCATED - MOOMBA, S.A.) (SET 2)	

LOT	QTY	DESCRIPTION	NOTE
8		TRANSTANK CONTAINERISED DIESEL FUEL STORAGE & DISTRIBUTION CAPACITY: 68,800 LITRE DOM: 2011 MASS: 14,050kg TANK ONLY DIMENSIONS: 12200 (L) x 2440 (W) x 2900mm (H) WITH COMPAC INDUSTRIES KEYPAD CARD SWIPE FILL SYSTEM MOD: DCA DOM: 2013 METERED BOWSER SYSTEM (LOCATED - MOOMBA, S.A.)	
9		TRANSTANK CONTAINERISED DIESEL FUEL CELL ON SKID BASE (ROLL OFF), WITH CONTAINER LOCKS ID NO: FABI-0000183 CAPACITY: 60,000 LITRE S/F 57,005 LITRE DOM: 2010 S/NO: PST600013 MASS: 14,270kg, TANK ONLY DIMENSIONS: 12200 (L) x 2440 (W) x 2900mm (H) METERED FILL STATION, LOCKABLE (LOCATED - MOOMBA, S.A.)	
10		REFRIGERATED SHIPPING CONTAINER, 20' NO: 566675-9 CARRIER FRIDGE PLANT, R134A MANFAC NO: 6DDJEC1C1350 415V INPUT POWER, PLC CONTROLLER (LOCATED - MOOMBA, S.A.)	
11		REFRIGERATED SHIPPING CONTAINER, 20' NO: 568094-5 GATEWAY CARRIER FRIDGE PLANT, R134A 415V INPUT POWER, PLC CONTROLLER (LOCATED - MOOMBA, S.A.)	
(LOCATED - MOOMBA CAMPSITE 30A)			
12		AUSCO COMS ROOM, 6x3m, OPEN PLAN OFFICE COLOURBOND CLADDING, SINGLE ENTRANCE 2 x WINDOWS 1 x REAR MOUNT WALL A/C, POWER/LIGHTING (LOCATED - MOOMBA CAMPSITE 30A) (A/N 1183)	
13		EMAC LAUNDRY/ABLUTION BLOCK 12 x 3 x 3.1m (H) 6m ABLUTION /SHOWER AREA URINAL, 3 X CUBICLES, 3 x STAINLESS STEEL BASINS 4 x MODULAR SHOWER ENCLOSURES 315 LITRE RHEEM ELECTRIC HOT WATER SERVICE 1.5m ELECTRICAL SWITCH ROOM/STORE 4.5m LAUNDRY AREA, 3 x STAINLESS STEEL WASH BASINS & PLUMBING (LOCATED - MOOMBA CAMPSITE 30A) (A/N 1173)	

LOT	QTY	DESCRIPTION	NOTE
14		<p>AUSCO 2 BEDROOM ACCOMMODATION WITH INDIVIDUAL ENSUITE BATHROOMS</p> <p>OUTSIDE OVERALL DIM: 8400 (L) x 3000 (W) x 2850mm (H)</p> <p>SINGLE LIVING AREA: 2750 (L) x 2850 (W)</p> <p>ENSUITE: 1260 (L) x 2850mm (W)</p> <p>WITH EXTERNAL CUTOUT FOR HOT WATER SERVICE</p> <p>COMPLETE WITH 2 x DAIKEN SPLIT SYSTEM A/C'S</p> <p>2 x CTV'S, 2 x BAR FRIDGES & CUPBOARDS</p> <p>80 LITRE ELECTRIC HOT WATER SERVICE</p> <p>(LOCATED - MOOMBA CAMPSITE 30A)</p> <p>(A/N 1185)</p>	
15		<p>AUSCO 2 BEDROOM ACCOMMODATION WITH INDIVIDUAL ENSUITE BATHROOMS</p> <p>OUTSIDE OVERALL DIM: 8400 (L) x 3000 (W) x 2850mm (H)</p> <p>SINGLE LIVING AREA: 2750 (L) x 2850 (W)</p> <p>ENSUITE: 1260 (L) x 2850mm (W)</p> <p>WITH EXTERNAL CUTOUT FOR HOT WATER SERVICE</p> <p>COMPLETE WITH 2 x CTV'S, 2 x BAR FRIDGES & CUPBOARDS</p> <p>80 LITRE ELECTRIC HOT WATER SERVICE</p> <p>(LOCATED - MOOMBA CAMPSITE 30A)</p> <p>(A/N 1184)</p>	
(LOCATED - MOOMBA CAMPSITE 29A)			
16		<p>AUSCO 2 BEDROOM ACCOMMODATION WITH INDIVIDUAL ENSUITE BATHROOMS</p> <p>OUTSIDE OVERALL DIM: 8400 (L) x 3000 (W) x 2850mm (H)</p> <p>SINGLE LIVING AREA: 2750 (L) x 2850 (W)</p> <p>ENSUITE: 1260 (L) x 2850mm (W)</p> <p>WITH EXTERNAL CUTOUT FOR HOT WATER SERVICE</p> <p>COMPLETE WITH 1 x CTV, 2 x BAR FRIDGES & CABINETS</p> <p>STEEL FRAME ACCESS PLATFORM</p> <p>(LOCATED - MOOMBA CAMPSITE 29A)</p> <p>(A/N 1176)</p>	
17		<p>AUSCO 2 BEDROOM ACCOMMODATION WITH INDIVIDUAL ENSUITE BATHROOMS</p> <p>OUTSIDE OVERALL DIM: 8400 (L) x 3000 (W) x 2850mm (H)</p> <p>SINGLE LIVING AREA: 2750 (L) x 2850 (W)</p> <p>ENSUITE: 1260 (L) x 2850mm (W)</p> <p>WITH EXTERNAL CUTOUT FOR HOT WATER SERVICE</p> <p>COMPLETE WITH 2 x DAIKEN SPLIT SYSTEM A/C'S</p> <p>2 x CTV'S, 2 x BAR FRIDGES & CUPBOARDS</p> <p>(LOCATED - MOOMBA CAMPSITE 29A)</p> <p>(A/N 1164)</p>	
18		<p>CAMPAC 2 BEDROOM ACCOMMODATION WITH SHARED SINGLE ENSUITE BATHROOM</p> <p>OUTSIDE OVERALL DIM: 7220 (L) x 3000 (w) x 2850mm (H)</p> <p>SINGLE LIVING AREA: 2520 (L) x 2840mm (W)</p> <p>SHARED ENSUITE: 1940 (L) x 1880mm (W)</p> <p>ENTRANCE WALKWAY: 900 (L) x 1880mm (W)</p> <p>HOT WATER SERVICE LOCATED IN ENSUITE</p> <p>COMPLETE WITH 1 x DAIKEN SPILT SYSTEM A/C</p> <p>2 x CTV'S, 2 x BAR FRIDGES & CABINETS</p> <p>1 x 80 LITRE ELECTRIC HWS</p> <p>(LOCATED - MOOMBA CAMPSITE 29A)</p> <p>(A/N 1165)</p>	

LOT	QTY	DESCRIPTION	NOTE
19		<p>CAMPAC 2 BEDROOM ACCOMMODATION WITH SHARED SINGLE ENSUITE BATHROOM</p> <p>OUTSIDE OVERALL DIM: 7220 (L) x 3000 (w) x 2850mm (H)</p> <p>SINGLE LIVING AREA: 2520 (L) x 2840mm (W)</p> <p>SHARED ENSUITE: 1940 (L) x 1880mm (W)</p> <p>ENTRANCE WALKWAY: 900 (L) x 1880mm (W)</p> <p>HOT WATER SERVICE LOCATED IN ENSUITE</p> <p>COMPLETE WITH 2 x CTV'S, 1 x BAR FRIDGE & CABINETS</p> <p>1 x 80 LITRE ELECTRIC HWS</p> <p>(LOCATED - MOOMBA CAMPSITE 29A)</p> <p>(A/N 1166)</p>	
20		<p>CAMPAC 2 BEDROOM ACCOMMODATION WITH SHARED SINGLE ENSUITE BATHROOM</p> <p>OUTSIDE OVERALL DIM: 7220 (L) x 3000 (w) x 2850mm (H)</p> <p>SINGLE LIVING AREA: 2520 (L) x 2840mm (W)</p> <p>SHARED ENSUITE: 1940 (L) x 1880mm (W)</p> <p>ENTRANCE WALKWAY: 900 (L) x 1880mm (W)</p> <p>HOT WATER SERVICE LOCATED IN ENSUITE</p> <p>COMPLETE WITH 2 x DAIKEN SPILT SYSTEM A/C'S</p> <p>2 x CTV'S, 2 x BAR FRIDGES & CABINETS</p> <p>1 x 80 LITRE ELECTRIC HWS</p> <p>(LOCATED - MOOMBA CAMPSITE 29A)</p> <p>(A/N 1177)</p>	
21		<p>CAMPAC 2 BEDROOM ACCOMMODATION WITH SHARED SINGLE ENSUITE BATHROOM</p> <p>OUTSIDE OVERALL DIM: 7220 (L) x 3000 (w) x 2850mm (H)</p> <p>SINGLE LIVING AREA: 2520 (L) x 2840mm (W)</p> <p>SHARED ENSUITE: 1940 (L) x 1880mm (W)</p> <p>ENTRANCE WALKWAY: 900 (L) x 1880mm (W)</p> <p>HOT WATER SERVICE LOCATED IN ENSUITE</p> <p>COMPLETE WITH 1 x DAIKEN SPILT SYSTEM A/C</p> <p>2 x CTV'S, 2 x BAR FRIDGES & CABINETS</p> <p>1 x 80 LITRE ELECTRIC HWS</p> <p>(LOCATED - MOOMBA CAMPSITE 29A)</p> <p>(A/N 1178)</p>	
22		<p>CAMPAC 2 BEDROOM ACCOMMODATION WITH SHARED SINGLE ENSUITE BATHROOM</p> <p>OUTSIDE OVERALL DIM: 7220 (L) x 3000 (w) x 2850mm (H)</p> <p>SINGLE LIVING AREA: 2520 (L) x 2840mm (W)</p> <p>SHARED ENSUITE: 1940 (L) x 1880mm (W)</p> <p>ENTRANCE WALKWAY: 900 (L) x 1880mm (W)</p> <p>HOT WATER SERVICE LOCATED IN ENSUITE</p> <p>COMPLETE WITH 2 x DAIKEN SPILT SYSTEM A/C'S</p> <p>2 x CTV'S, 2 x BAR FRIDGES & CABINETS</p> <p>1 x 80 LITRE ELECTRIC HWS</p> <p>(LOCATED - MOOMBA CAMPSITE 29A)</p> <p>(A/N 1180)</p>	
23		<p>CAMPAC 2 BEDROOM ACCOMMODATION WITH SHARED SINGLE ENSUITE BATHROOM</p> <p>OUTSIDE OVERALL DIM: 7220 (L) x 3000 (w) x 2850mm (H)</p> <p>SINGLE LIVING AREA: 2520 (L) x 2840mm (W)</p> <p>SHARED ENSUITE: 1940 (L) x 1880mm (W)</p> <p>ENTRANCE WALKWAY: 900 (L) x 1880mm (W)</p> <p>HOT WATER SERVICE LOCATED IN ENSUITE</p> <p>COMPLETE WITH 2 x DAIKEN SPILT SYSTEM A/C'S</p> <p>2 x CTV'S, 2 x BAR FRIDGES & CABINETS</p> <p>1 x 80 LITRE ELECTRIC HWS</p> <p>(LOCATED - MOOMBA CAMPSITE 29A)</p> <p>(A/N 1179)</p>	

LOT	QTY	DESCRIPTION	NOTE
24		<p>CAMPAC 2 BEDROOM ACCOMMODATION WITH SHARED SINGLE ENSUITE BATHROOM</p> <p>OUTSIDE OVERALL DIM: 7220 (L) x 3000 (w) x 2850mm (H)</p> <p>SINGLE LIVING AREA: 2520 (L) x 2840mm (W)</p> <p>SHARED ENSUITE: 1940 (L) x 1880mm (W)</p> <p>ENTRANCE WALKWAY: 900 (L) x 1880mm (W)</p> <p>HOT WATER SERVICE LOCATED IN ENSUITE</p> <p>COMPLETE WITH 2 x DAIKEN SPILT SYSTEM A/C'S</p> <p>2 x CTV'S, 2 x BAR FRIDGES & CABINETS</p> <p>1 x 80 LITRE ELECTRIC HWS</p> <p>(LOCATED - MOOMBA CAMPSITE 29A)</p> <p>(A/N 1181)</p>	
25		<p>CAMPAC 2 BEDROOM ACCOMMODATION WITH SHARED SINGLE ENSUITE BATHROOM</p> <p>OUTSIDE OVERALL DIM: 7220 (L) x 3000 (w) x 2850mm (H)</p> <p>SINGLE LIVING AREA: 2520 (L) x 2840mm (W)</p> <p>SHARED ENSUITE: 1940 (L) x 1880mm (W)</p> <p>ENTRANCE WALKWAY: 900 (L) x 1880mm (W)</p> <p>HOT WATER SERVICE LOCATED IN ENSUITE</p> <p>COMPLETE WITH 1 x DAIKEN SPILT SYSTEM A/C</p> <p>2 x CTV'S, 2 x BAR FRIDGES & CABINETS</p> <p>1 x 80 LITRE ELECTRIC HWS</p> <p>(LOCATED - MOOMBA CAMPSITE 29A)</p> <p>(A/N 1182)</p>	
26		<p>CAMPAC 2 BEDROOM ACCOMMODATION WITH SHARED SINGLE ENSUITE BATHROOM</p> <p>OUTSIDE OVERALL DIM: 7220 (L) x 3000 (w) x 2850mm (H)</p> <p>SINGLE LIVING AREA: 2520 (L) x 2840mm (W)</p> <p>SHARED ENSUITE: 1940 (L) x 1880mm (W)</p> <p>ENTRANCE WALKWAY: 900 (L) x 1880mm (W)</p> <p>HOT WATER SERVICE LOCATED IN ENSUITE</p> <p>COMPLETE WITH 2 x DAIKEN SPILT SYSTEM A/C'S</p> <p>2 x CTV'S, 2 x BAR FRIDGES & CABINETS</p> <p>1 x 80 LITRE ELECTRIC HWS</p> <p>(LOCATED - MOOMBA CAMPSITE 29A)</p> <p>(A/N 1175)</p>	
27		<p>CAMPAC 2 BEDROOM ACCOMMODATION WITH SHARED SINGLE ENSUITE BATHROOM</p> <p>OUTSIDE OVERALL DIM: 7220 (L) x 3000 (w) x 2850mm (H)</p> <p>SINGLE LIVING AREA: 2520 (L) x 2840mm (W)</p> <p>SHARED ENSUITE: 1940 (L) x 1880mm (W)</p> <p>ENTRANCE WALKWAY: 900 (L) x 1880mm (W)</p> <p>HOT WATER SERVICE LOCATED IN ENSUITE</p> <p>COMPLETE WITH 2 x DAIKEN SPILT SYSTEM A/C'S</p> <p>2 x CTV'S, 2 x BAR FRIDGES & CABINETS</p> <p>1 x 80 LITRE ELECTRIC HWS</p> <p>(LOCATED - MOOMBA CAMPSITE 29A)</p> <p>(A/N 1174)</p>	
(LOCATED - MOOMA COMMERCIAL LAUNDRY)			
28		<p>COMMERCIAL DRYER</p> <p>A#637405</p> <p>PRIMUS PLC CONTROLLER</p> <p>MOD: PA075NRMJ2G1W02</p> <p>NATURAL GAS INPUT 174.1MJ/HR @37.3MJ/COM</p> <p>DIMENSIONS: 1920 (H) x 980 (W) x 1140mm (D)</p> <p>(LOCATED - MOOMA COMMERCIAL LAUNDRY)</p>	

LOT	QTY	DESCRIPTION	NOTE
29		COMMERCIAL DRYER A#637406 HUEBSCH PLC CONTROLLER MOD: HAD50NRMJ2G1W01 NATURAL GAS INPUT 120.6MJ/HR @37.3MJ/COM DIMENSIONS: 1920 (H) x 980 (W) x 1140mm (D) (LOCATED - MOOMA COMMERCIAL LAUNDRY)	
30		COMMERCIAL DRYER A#637407 HUEBSCH PLC CONTROLLER MOD: HAD50NRMJ2G1W01 NATURAL GAS INPUT 120.6MJ/HR @37.3MJ/COM DIMENSIONS: 1920 (H) x 980 (W) x 1140mm (D) (LOCATED - MOOMA COMMERCIAL LAUNDRY)	
31		COMMERCIAL DRYER A#637408 HUEBSCH PLC CONTROLLER MOD: HAD50NRMJ2G1W01 NATURAL GAS INPUT 120.6MJ/HR @37.3MJ/COM DIMENSIONS: 1920 (H) x 980 (W) x 1140mm (D) (LOCATED - MOOMA COMMERCIAL LAUNDRY)	
32		COMMERCIAL DRYER A#637409 HUEBSCH PLC CONTROLLER MOD: HAD50NRMJ2G1W01 NATURAL GAS INPUT 120.6MJ/HR @37.3MJ/COM DIMENSIONS: 1920 (H) x 980 (W) x 1140mm (D) (LOCATED - MOOMA COMMERCIAL LAUNDRY)	
33		COMMERCIAL DRYER A#637410 HUEBSCH PLC CONTROLLER MOD: HAD50NRMJ2G1W01 NATURAL GAS INPUT 120.6MJ/HR @37.3MJ/COM DIMENSIONS: 1920 (H) x 980 (W) x 1140mm (D) (LOCATED - MOOMA COMMERCIAL LAUNDRY)	
34		COMMERCIAL DRYER A#637412 HUEBSCH PLC CONTROLLER MOD: HAD50NRMJ2G1W01 NATURAL GAS INPUT 120.6MJ/HR @37.3MJ/COM DIMENSIONS: 1920 (H) x 980 (W) x 1140mm (D) (LOCATED - MOOMA COMMERCIAL LAUNDRY)	
35		COMMERCIAL DRYER A#637413 PRIMUS DRY STAR DOM: 2000 MOD: JTB75CQ 240V IGNITER NATURAL GAS INPUT 174MJ/HR @2.74MJ/COM DIMENSIONS: 1920 (H) x 980 (W) x 1140mm (D) (LOCATED - MOOMA COMMERCIAL LAUNDRY)	
(LOCATED - MGS AUCTION ROOMS, 370 TORRENS RD, KILKENNY SA)			

LOT	QTY	DESCRIPTION	NOTE
36		<p>POWER TRANSFORMER (NEW), TYREE ID: 7500-TF-042 500KVA 3 PHASE PRIMARY VOLTAGE 11KV SECONDARY VOLTAGE RATED NO LOAD 433V VECTOR GROUP DYN11 LOW VOLTAGE SWITCH PANEL S/NO: 4500-0056 RATED CURRENT 1000AMP 50HZ RATED VOLTAGE 433V IN CASE BODY SKID BASE DIMENSIONS: 3200 (L) x 2100 (W) x 1900mm (H) 3,810kg</p> <p>LOCATED AT: MGS, 370 TORRENS ROAD, KILKENNY INSPECTION WELCOME</p>	
37		<p>ENCASED SWITCH MODULE, ABB-SAFERING/SAFE PLUS 36KV ID: SM760 (S27) COMPRISING: METAL ENCLOSED SWITCH & CONTROL GEAR TYPE, CCF DOM: 10/2015 UR RATING: 36KV 50HZ UP: 170KV UD: 70KV IR: 630AMP 3 PHASE SAFE C MODULE 630AMP, IMA, 50KVA, IK, 16KVA TK-3S MASS: 1,350kg 2100 (H) x 1700 (W) x 2900mm (L)</p> <p>LOCATED AT: MGS, 370 TORRENS ROAD, KILKENNY INSPECTION WELCOME</p>	
38		<p>ENCASED SWITCH MODULE, ABB-SAFELINK 2 CFCF DOM: 2015 UR: 12KV FR: 50HZ IR: 630AMP UP: 95KV/110KV IK: 21KA TK: 3S IMA: 52.5KA N: 100 UD: 28KV/32KV ER: E3 3 PHASE S/NO: IYJN3046883203 DIMENSIONS: 1500 (H) x 1000 (W) x 1900mm (L) CRATED 750kg</p> <p>LOCATED AT: MGS, 370 TORRENS ROAD, KILKENNY INSPECTION WELCOME</p>	

LOT	QTY	DESCRIPTION	NOTE
39		<p>ENCASED SWITCH MODULE, ABB-SAFELINK 2 CFCF DOM: 2015 UR: 12KV FR: 50HZ IR: 630AMP UP: 95KV/110KV IK: 21KA TK: 3S IMA: 52.5KA N: 100 UD: 28KV/32KV ER: E3 3 PHASE S/NO: TBA DIMENSIONS: 1500 (H) x 1000 (W) x 1900mm (L) CRATED 750kg</p> <p>LOCATED AT: MGS, 370 TORRENS ROAD, KILKENNY INSPECTION WELCOME</p>	
40		*** VACANT ***	
41		<p>144 x LENGTHS OF REINFORCED FIBREGLASS PIPE MALE/FEMALE THREADED EACH LENGTH APPROX 10m CENTRON 2 1/2" ID (UN-USED)</p> <p>LOCATED AT: MGS, 370 TORRENS ROAD, KILKENNY INSPECTION WELCOME</p>	
42		<p>144 x LENGTHS OF REINFORCED FIBREGLASS PIPE MALE/FEMALE THREADED EACH LENGTH APPROX 10m CENTRON 2 1/2" ID (UN-USED)</p> <p>LOCATED AT: MGS, 370 TORRENS ROAD, KILKENNY INSPECTION WELCOME</p>	
43		<p>144 x LENGTHS OF REINFORCED FIBREGLASS PIPE MALE/FEMALE THREADED EACH LENGTH APPROX 10m CENTRON 2 1/2" ID (UN-USED)</p> <p>LOCATED AT: MGS, 370 TORRENS ROAD, KILKENNY INSPECTION WELCOME</p>	
44		<p>144 x LENGTHS OF REINFORCED FIBREGLASS PIPE MALE/FEMALE THREADED EACH LENGTH APPROX 10m CENTRON 2 1/2" ID (UN-USED)</p> <p>LOCATED AT: MGS, 370 TORRENS ROAD, KILKENNY INSPECTION WELCOME</p>	
45		<p>144 x LENGTHS OF REINFORCED FIBREGLASS PIPE MALE/FEMALE THREADED EACH LENGTH APPROX 10m CENTRON 2 1/2" ID (UN-USED)</p> <p>LOCATED AT: MGS, 370 TORRENS ROAD, KILKENNY INSPECTION WELCOME</p>	

LOT	QTY	DESCRIPTION	NOTE
46		BLACK STEEL PIPE, 4 x LENGTHS 20" x SCH 80 X 9 x 11.8m ASTM A106-10ED/ASMESA106-10 ED API SPEC, 5L-45THV/X42PSL1 30mm THICK CASING APPROX LOCATED AT: MGS, 370 TORRENS ROAD, KILKENNY INSPECTION WELCOME	