

LOT	QTY	DESCRIPTION	NOTE
1		FANUC ROBOT R-2000IB 210F NO: R09700282 TYPE: A05B-1329-B205 WEIGHT: 1,240kg DATE: 7/2009 WITH FANUC CONTROL CABINET MOD: SYSTEM R-301A	
2		FANUC ROBOT R-2000IB 210F NO: R09700282 TYPE: A05B-1329-B205 WEIGHT: 1,240kg DATE: 7/2009 WITH FANUC CONTROL CABINET MOD: SYSTEM R-301A	
3		FANUC ROBOT R-2000IB 210F NO: R09700282 TYPE: A05B-1329-B205 WEIGHT: 1,240kg DATE: 7/2009 WITH FANUC CONTROL CABINET MOD: SYSTEM R-301A	
4		FANUC ROBOT MINOR DAMAGE R-2000IB 210F NO: R09700282 TYPE: A05B-1329-B205 WEIGHT: 1,240kg DATE: 7/2009 WITH FANUC CONTROL CABINET MOD: SYSTEM R-301A	
5		FANUC ROBOT R-2000IB 210F NO: R09700282 TYPE: A05B-1329-B205 WEIGHT: 1,240kg DATE: 7/2009 WITH FANUC CONTROL CABINET MOD: SYSTEM R-301A	
6		FANUC ROBOT R-2000IB 210F NO: R09700282 TYPE: A05B-1329-B205 WEIGHT: 1,240kg DATE: 11/2008 WITH FANUC CONTROL CABINET MOD: SYSTEM R-301A	
7		FANUC ROBOT R-2000IB 210F NO: R09700282 TYPE: A05B-1329-B205 WEIGHT: 1,240kg DATE: 7/2009 WITH FANUC CONTROL CABINET MOD: SYSTEM R-301A	

LOT	QTY	DESCRIPTION	NOTE
8		FANUC ROBOT R-2000IB 210F NO: R09700282 TYPE: A05B-1329-B205 WEIGHT: 1,240kg DATE: 7/2009 WITH FANUC CONTROL CABINET MOD: SYSTEM R-301A	
9		FANUC ROBOT R-2000IB 210F NO: R09700282 TYPE: A05B-1329-B205 WEIGHT: 1,240kg DATE: 7/2009 WITH FANUC CONTROL CABINET MOD: SYSTEM R-301A	
10		FANUC ROBOT R-2000IB 210F NO: R09700282 TYPE: A05B-1329-B205 WEIGHT: 1,240kg DATE: 7/2009 WITH FANUC CONTROL CABINET MOD: SYSTEM R-301A	
11		FANUC ROBOT R-2000IB 210F NO: R09700282 TYPE: A05B-1329-B205 WEIGHT: 1,240kg DATE: 7/2009 WITH FANUC CONTROL CABINET MOD: SYSTEM R-301A ON STEEL BASE PLATES	
12		FANUC ROBOT R-2000IB 210F NO: R09700282 TYPE: A05B-1329-B205 WEIGHT: 1,240kg DATE: 7/2009 WITH FANUC CONTROL CABINET MOD: SYSTEM R-301A ON STEEL BASE PLATE	
13		HEAVY DUTY STEEL PLATE ROBOT STAND, SUIT FANUC MOD: R-2000IB DIAMETER: 860mm HEIGHT: 980mm BASE FOOTPRINT: 1190 x 1010mm	
14		HEAVY DUTY STEEL PLATE ROBOT STAND, SUIT FANUC MOD: R-2000IB DIAMETER: 860mm HEIGHT: 980mm BASE FOOTPRINT: 1190 x 1010mm	
15		HEAVY DUTY STEEL PLATE ROBOT STAND, SUIT FANUC MOD: R-2000IB DIAMETER: 860mm HEIGHT: 1070mm BASE FOOTPRINT: 1240 x 1240mm	

LOT	QTY	DESCRIPTION	NOTE
16		HEAVY DUTY STEEL PLATE ROBOT STAND, SUIT FANUC MOD: R-2000IB DIAMETER: 860mm HEIGHT: 1080mm BASE FOOTPRINT: 1160 x 1200mm	
17		HEAVY DUTY STEEL PLATE ROBOT STAND, SUIT FANUC MOD: R-2000IB DIAMETER: 860mm HEIGHT: 1150mm TOP FOOTPRINT: 770 x 720mm BASE FOOTPRINT: 1620 x 1200mm	
18		HEAVY DUTY STEEL PLATE ROBOT STAND, SUIT FANUC MOD: R-2000IB DIAMETER: 860mm HEIGHT: 1150mm TOP FOOTPRINT: 770 x 720mm BASE FOOTPRINT: 1620 x 1200mm	
19		HEAVY DUTY STEEL PLATE ROBOT STAND, SUIT FANUC MOD: R-2000IB DIAMETER: 860mm HEIGHT: 1150mm TOP FOOTPRINT: 770 x 720mm BASE FOOTPRINT: 1620 x 1200mm	
20		HEAVY DUTY STEEL PLATE ROBOT STAND, SUIT FANUC MOD: R-2000IB CIRCULAR HEIGHT: 970mm TOP PLATE: 1290mm HEIGHT: 970m BASE: 1600mm	
21		HEAVY DUTY STEEL PLATE ROBOT STAND, SUIT FANUC MOD: R-2000IB CIRCULAR HEIGHT: 970mm TOP PLATE: 1290mm HEIGHT: 970m BASE: 1600mm	
22		HEAVY DUTY STEEL PLATE ROBOT STAND, SUIT FANUC MOD: R-2000IB CIRCULAR HEIGHT: 1180mm TOP PLATE: 1290mm HEIGHT: 970m BASE: 1600mm	
23		COOLROOM (DIS-ASSEMBLED) 2100mm (H) 2400 x 2400mm APPROX PLUS EXTRA PALLET OF PANELS & DOORS	
24		3 x STEEL STANDS & COMPONENTS	
25		PNEUMATIC LIFTING FRAME & AIR LINE	

LOT	QTY	DESCRIPTION	NOTE
26		5 x SPOT WELDING HEADS, OBARA WELDING TRANSFORMER TYPE: NL110H-610 HEAD SRTX-K0808 DOM: 09 KOREA	
27		CLAYTON CHAN HOIST, ELECTRIC SWL: 1/2 TONNE	
28		PNEUMATIC LIFTING FRAME & AIR LINE	
29		3 x STEEL STANDS & COMPONENTS	
30		2x KNIGHT OVERHEAD SWIVEL, PNEUMATIC ARM MANIPULATOR ON TROLLEYS	
31		2 x OVERHEAD PNEUMATIC INDUSTRIAL MANIPULATORS, DALMEC 100kg RATED DOM: 2005	
32		OVERHEAD PNEUMATIC MANIPULATOR ARM, KNIGHT	
33		STEEL, HEAVY DUTY, STACKABLE STILLAGE, 2400 x 1700 x 860mm & CONTENTS VARIOUS PNEUMATIC PEDESTALS & COMPONENTS	
34		STEEL, HEAVY DUTY STACKABLE STILLAGE, 2400 x 1700 x 860mm & CONTENTS SPOT WELDING HEAD, PEDESTALS & COMPONENTS	
35		1 x PALLET (17 APPROX) BULKA BAGS, BOTTOM DRAIN	
36		6 x SPOT WELDERS, OBARA 110KVA	
37		OVERHEAD POWERED CHAIN HOIST, DEMAG 2 TONNE, 415V TYPE: DKUN 10-1000 KVI 4F	
38		HENROB FASTENER MOD: PP2217415302F 415V HYDRAULIC RIVET UNIT	
39		2 x HEAVY DUTY PNEUMATIC PRESS UNITS, SHORT STROKE	
40		OVERHEAD POWERED CHAIN HOIST, DEMAG 2 TONNE, 415V TYPE: DKUN 10-1000 KVI 4F	

LOT	QTY	DESCRIPTION	NOTE
41		SPOT WELDER, OBARA 110KVA DOM: 2009 LONG REACH	
42		3 x SPOT WELDING HEADS, OBARA 110KVA DOM: 2009-2004 APPROX	
43		2 x SPOT WELDING HEADS, OBARA 110KVA DOM: 2009-2004 APPROX	
44		2 x SPOT WELDING HEADS, OBARA 110KVA DOM: 2009-2004 APPROX	
45		ALUMINIUM PLATFORM LADDER, LADDERWELD 130kg 1400mm	
46		QUANTITY OF STYRENE PANELS 10 @ 2425 x 1195 x 75mm 6 @ 2420 x 1200 x 110mm 6 @ 2425 x 1190 x 70mm 13 @ 2420 x 1190 x 35mm	
47		OVERHEAD CRANE, TWIN BEAM POWERED TRAVEL 600kg NO HOIST 5.4m BEAMS	
48		KAESER PACKAGED AIR COMPRESSOR, AIRTOWER 31 TOTAL HOURS: 44,368 LOAD HOURS: 19,762 INCLUDES 3 INLINE FILTERS	
49		LARGE HORIZONTAL RECEIVER DOM: 10/2010 4 x 1.2m APPROX	
50		ICI CALDAIE STEAM BOILER TYPE: AX1750 CODE: 86141750 NO. FABRICATIONS: 62702003 DATE: 12/11/2009 DESIGN REG: SD-2010-1559-1 INSTAL DATE: 28/9/2010 INCLUDES LARGE ACCUMULATOR HORIZONTAL INSULATED 5 (H) x 1.8m (D) APPROX UPRIGHT PRESSURE TANK 2.5 (H) x 1.5m (D) ON 3 LEG STAND COMPLETE WITH LOCALIZED VALVES & PLUMBING	
51		SWITCHBOARD MAIN CONTROL PANEL, 4 DOOR 2400 x 500 (D) x 1600mm RITTAL SK3303100 C/B & PLC CONTROLS	

LOT	QTY	DESCRIPTION	NOTE
52		SWITCHBOARD MAIN CONTROL PANEL, 5 DOOR 3000 x 500 (D) x 1600mm 60 AMP MAIN SWITCH C/B & PLC CONTROLS	
53		OVERHEAD CRANE, TWIN BEAM 600kg NO HOIST WITH WHEEL CARRIAGES 5.4m BEAMS	
54		OVERHEAD CRANE, TWIN BEAM 600kg NO HOIST WITH WHEEL CARRIAGES 5.0m BEAMS	
55		STEEL POST, FLANGED BASE, 300UB 4.5m (H) YELLOW	
56		4 x ROLLER CONVEYOR SECTIONS 3m x 530mm WITH ADJUSTABLE HEIGHT LEGS & 1 x BOX SPARE ROLLERS	
57		RAE SYSTEMS GAS SENSOR KIT MOD: PGU-2400P IN CASE	
58		80 (APPROX) x R5 INSULATION BATTS 2 x PALLETS	
59		GALV BUILDING CLIPS, 1 x CRATE	
60		10-16x128 INDENT HEX HEAD F3 SELF DRILLING SCREWS 160 x CARTONS (600/CARTON) 96000 SCREWS (APPROX) 5 x PALLETS	
61		GRACO DIAPHRAGM PUMP, HUSKY 1050	
62		1/4 & 3/4 FULL (200 LITRE) DRUM SPRAY PROBOND INSULATION WITH GRACO AIR PUMP, HOSES & SPRAY GUN	
63		AIR MOTOR, BINKS MOD: 842010 WITH BOOKS NEW	
64		ASSORTED SPARE PARTS, FITTINGS, VALVES, ETC 1 x PALLET	
65		TRAFFIC SPOT LIGHT	

LOT	QTY	DESCRIPTION	NOTE
66		<p>HIRSCH WALL PANEL MACHINE MOD: GTH800L S/NO: BM-B080 VU-B080 DELIVERY DATE: 2/2010 BUILT IN ITALY MAX PANEL SIZE: 8000 x 3050 x 200mm MIN PANEL SIZE: 4000 x 2400 x 100mm INCLUDES PANEL CONVEYOR SYSTEM & RAW MATERIAL BUNKERS FEEL BLOWERS & DUCTING HIRSCH GRINDER UNIT DOM: 2009 S/NO: GR-B090 BUNKERS ARE SOFT WALL BAG 4 LARGE 5 x 5 x 4m APPROX 2 SMALL 3 x 3 x 4m APPROX WITH PNEUMATIC CONTROL FEED CHUTES & DUCTING HIRSHC VACUUM UNIT S/NO: VU-B080 DOM: 2010</p>	
67		<p>HIRSCH PRE EXPANDER TYPE: PREEX6000DC NO: 1-255 DOM: 11/2009 415V, 15.7kw 32.24AMP WEIGHT: 2,900kg INCLUDES PLATFORM & STAIRS</p>	
68		<p>PRODUCT HOPPER, EAST WEST ENGINEERING TYPE: J6820A S/NO: 65826A SWL: 1,000kg VOLUME: 1.85m3</p>	
68a		<p>HORIZONTAL WIRE CUTTER, FUYANG D&T INDUSTRIAL CO LTD BED SIZE: 7.5 x 2.9m WITH MAC MOTION CONTROL</p>	
69		<p>LARGE QUANTITY STEEL MESH MACHINE SAFETY BARRIER & FENCING, VARIOUS SIZES 45 PIECES APPROX WITH GATE</p>	
70		<p>ALUMINIUM PLATFORM LADDER, LADDERWELD 130kg 1400kg MOBILE</p>	
71		<p>4 x ROLLER CONVEYOR SECTIONS, STEEL GALV ROLLERS DOUBLE WIDTH 3 @ 2200 x 300mm (W) 1 @ 1600 x 3000mm(W) 1440mm ROLLERS ADJUSTABLE LEGS</p>	
72		<p>2 x LARGE SHEETS STYRENE PANELS 7200 (L) x 2430 (W) x 1100mm (THICK)</p>	

LOT	QTY	DESCRIPTION	NOTE
73		ASSORTED CLIPSAL SWITCH COVERS, 34 x CARTONS APPROX 2 x PALLETS	
74		350 (APPROX) x LED CEILING LIGHTS & DRIVERS 1 x PALLET	
75		ASSORTED LIGHT FITTINGS & PROMOTIONAL CAP SETS CONTENTS 1 x PALLET	
76		ALUMINIUM PLATFORM LADDER, LADDERWELD 130kg 1400kg MOBILE	
77		12 x PALLETS KITCHEN CUPBOARDS, 1 x COUCH & 4 SEATER LOUNGE SETTING	
78		13 x SINGLE MATTRESSES & 2 x SINGLE BED FRAMES	
79		PHOTOCOPIER, CANON SUPER G3	
80		2 x CLOTHES DRYERS, SCHOLB STOVE, 3 x ELECTRIC HOT PLATES & ELECTRIC RANGEHOOD	
81		CHEF STOVE & RANGEHOOD	
82		DUX GAS HOT WATER SERVICE, PROFLO 3	
83		RHEEM SOLAR/GAS ASSIST HOT WATER SERVICE	
84		RINNAI SOLAR HOT WATER SERVICE TANK SP S/M 315 LITRE	
85		RHEEM SOLAR HILINE HOT WATER SERVICE 160 LITRE	
86		LAUNDRY SINK CABINET, STAINLESS STEEL SINK 630 x 470 x 900mm	
87		LAUNDRY SINK CABINET, STAINLESS STEEL SINK 630 x 470 x 900mm	
88		LAUNDRY SINK CABINET, STAINLESS STEEL SINK 630 x 470 x 900mm	
89		ROUND OUTDOOR TABLE, GLASS TOP, 900mm 4 x NON MATCHING CHAIRS, POT & 2 x VASES	
90		9 x TIMBER DOORS & 2 x TIMBER GATES	

LOT	QTY	DESCRIPTION	NOTE
91		FIBREGLASS BATHTUB, SOFT LOUNGE CHAIR, 3 x OUTDOOR CHAIRS & 2 x CUPBOARDS	
92		ELECTRIC OVEN, SMEG NEW	
93		ELECTRIC OVEN, WESTINGHOUSE NEW	
94		SAILBOARD	
95		30 SHEETS GYPROCK, 3000 x 1200 x 13mm & 1 x PALLET ASSORTED SHEETS & EDGE STRIPS	
96		USED CUPBOARDS & PANELS, 10 x PALLETS	

OUTSIDE YARD

97		LARGE COOLING TOWER 3.7 (L) x 1.7 x 3.0m DUAL FAN WITH PUMP DISCOVERY AT FIRST JOINT ON STEEL BASE WITH SEPARATE FILTER & DOSING TANKS OVERALL FOOTPRINT: 4.3 (L) x 3.0 (W) x 3.7m (H)	
98		HYDRO THERMAL COOLING TOWER 2.55 (L) x 1.8 x 2.6m (H) DUAL FAN NO ACCESSORIES OVERALL FOOTPRINT: 2.6 (L) x 2.9 (W) x 2.7m (H)	
99		STEEL STAIR SET HEIGHT TO PLATFORM: 3.4m 2.5m (W) 4.3m (L) WITH HAND RAILS, GALV	
100		5 x MONO CRANE RAIL SECTIONS 35m TOTAL APPROX WITH BEAM CLAMPS 200kg RATING	
101		3 x PAIRS STEELWORK STANDS INC 1 PAIR @ 2060 x 840mm & 2 PAIRS @ 2060 x 820mm	
102		DEMAG OVERHEAD CRANE BEAM WITH DRIVE MOTORS 800kg RATED 8.2m (W) NO HOIST	
103		DEMAG OVERHEAD CRANE BEAM WITH DRIVE MOTORS 800kg RATED 8.2m (W) NO HOIST	

LOT	QTY	DESCRIPTION	NOTE
104		7 x SECTIONS MONORAIL BEAM 70m APPROX	
105		4 x STEEL BENCH FRAMES INC 3 @ 3100 x 600 x 840mm 1 @ 3700 x 670 x 920mm	
106		SOLAR COLLECTOR MOD: NPT200 1900 x 100mm APPROX	
107		SOLAR COLLECTOR MOD: NPT200 1900 x 100mm APPROX	
108		SOLAR COLLECTOR, RINNAI PART NO: R18801741 1900 x 1000mm APPROX	
109		SOLAR COLLECTOR, RINNAI PART NO: R18801741 1900 x 1000mm APPROX	
110		3 x SAFETY MIRRORS	