

LOT	QTY	DESCRIPTION	NOTE
1		PIERSON UPRIGHT AIR RECEIVER, 4.8m (H) x 1300mm (D), DOM: 2000	
2		PIERSON UPRIGHT AIR RECEIVER, 4.8m (H) x 1300mm (D), DOM: 2000	
3		CONTENTS OF 6 BAYS SHELVING, VALVES, PIPES FITTINGS, GASKETS, AIR FITTINGS, ELECTRICAL CABLE, HARDWARE INCLUDING, GALV NUTS & BOLTS, STEEL ELBOWS, V BELTS & MORE!	
4		CONTENTS OF 5 BAYS SHELVING, GALV PIPE FITTINGS, PIPE CLAMPS, VALVES, V BELTS, HARDWARE INCLUDING NUTS & BOLTS ETC. GREASE GUNS, PYROMETER SENSORS & MORE!	
5		THE FLOOR SPACE LOT!, ELECTRIC MOTORS, ELECTRICAL CABLE, FILTERS, HAND WINCH, WIRE ROPE 240v WINCH 65kg RATED WITH HAND CONTROL	
6		6 x VIBRATING MOTORS, 415v	
7		8 x ELECTRIC MOTORS 415v, VARIOUS, INCLUDES 1 WITH GEARBOX DRIVE	
8		20ft SHIPPING CONTAINER, SOLID FLOOR, DOORS & ROOF OKAY	
9		2 x STAINLESS STEEL SUBMERSIBLE GRUNDFOS PUMPS, TYPE: UNILIFT,- AP12.5011A1, 230v, 1.7kw	
10		ASSORTED HARDWARE GALV NUTS & BOLTS, ASSORTED, FLOOR STUDS, FILTER PLATES, CONVEYOR ROLLERS	
11		1 x DRUM OF FILMAC BLACK PVC PIPE FITTING, INCLUDING ELBOWS, CONNECTORS, REDUCERS, & MORE!	
12		PALLET LOT OF SOFT MOTOR STARTERS, VARIOUS SIZES (CONDITION UNKNOWN)	
13		PALLET LOT, ARC WELDING RODS, MIG WIRE (NEW IN BOX), ASSORTED VALVES, PRESSURE TESTER, McNAUGHT GREASE PUMP WITH HOSE & HAND PIECE, SUIT 20kg PAIL, NEW!	
14		HD MAGNET PLATE, WITH HANDLES, 400 x 220mm	
15		20ft SHIPPING CONTAINER, ROOF HAS RUST EVIDENT (REPAIRED WITH IRON SHEETS), DOORS OKAY	
16		OSMOFLO REVERSE OSMOSIS SYSTEM IN SHIPPING CONTAINER, MODEL: BW 2001, SERIAL: J5562, DOM: 2007, WITH GRUNDFOS PUMP, TYPE: CRN15-14 A-FGJ-G-V-HQQV, MODEL: A96502059P10735, 4 x CODELINE PRESSURE VESSELS, MODEL: 80S30 20ft SHIPPING CONTAINER, (INSULATED & AIR CONDITIONED) WITH POWER/LIGHTING	
17		M.C.C MAIN SWITCH, AMP CONTROL, JOB NO. 14315, 1000amp, 415v, WITH CUTLER/HAMMER CONTROL, DOM: 2000	

LOT	QTY	DESCRIPTION	NOTE
18		ROBUSCHI BLOWER, 415v, 185kw, TECO MOTOR @ 1480rpm, BLOWER TYPE: RBS-115/F, SELF CONTAINED WITH REMOVABLE NOISE REDUCTION PANELS	
19		ROBUSCHI BLOWER, 415v, 185kw, TECO MOTOR @ 1480rpm, BLOWER TYPE: RBS-115/F, SELF CONTAINED WITH REMOVABLE NOISE REDUCTION PANELS	
20		ASHITA PACKAGED DIESEL GENSET, MODEL: AG3-30, DOM: 2022, 25kva, 415/240v, 440hrs, 3 x 240v OUTLETS 3 x 415v OUTLETS	
21		INSTRUMENT AIR, AIR CHILLER, MODEL: DE113, DOM: 2000, R134A REFRIGERANT, 6.6kw, 415v (MINOR COVER DAMAGE)	
22		CHAMPION PACKAGED AIR COMPRESSOR, MODEL: CSC110, 1000kpa, 110kw, 15,783hrs, 415v	
23		CONVEYOR SECTION WITH ENCLOSED COVER, INCLUDES ROLLERS, APPROX 15m LONG SUIT 500mm BELT (NO MOTOR OR BELT)	
23a		CONVEYOR, 2 SECTIONS, WITH FRAME, ROLLERS & DRIVE MOTOR, 450mm (W), APPROX 20m (L)	
23b		4 x 415v SNAIL BACK BLOWERS, APPROX 500mm (D), 70mm OUTLET	
23c		WARMAN PUMP, BELT DRIVE, 415v	
23d		AIRFLOW SHUT OFF VALVE, LARGE, 250mm INLET & OUTLET, 415v GEARED MOTOR, CHAIN DRIVE	
23e		ASSORTED PIPE FITTINGS & VALVES, STAINLESS STEEL, 250mm 150mm, 200mm, FLANGES & ELBOW INCLUDED	
23f		14 x ROLLS, 400mm (W) PLASTIC DOOR CURTIAN, APPROX 4m DROP	
23g		4 x 100mm AUGER EXTENSIONS	
24		CONVEYOR SECTION WITH ENCLOSED COVER, INCLUDES ROLLERS, APPROX 22m LONG SUIT 350mm BELT, 2 x SECTIONS, WITH END DRUM & DRIVE MOTOR	
25		CONVEYOR SECTION WITH ENCLOSED COVER, INCLUDES ROLLERS, APPROX 10m LONG SUIT 450mm BELT, WITH END DRUM & 415v DRIVE MOTOR	
26		CONVEYOR SECTION WITH ENCLOSED COVER, INCLUDES ROLLERS, APPROX 11m LONG SUIT 300mm BELT, WITH END DRUM & 415v DRIVE MOTOR	
27		CONVEYOR SECTION WITH ENCLOSED COVER, INCLUDES ROLLERS, APPROX 11m LONG SUIT 600mm BELT 415v DRIVE MOTOR NO END DRUM, NO BELT	
28		CONVEYOR SECTION WITH ENCLOSED COVER, INCLUDES ROLLERS, APPROX 8m LONG SUIT 450mm BELT 415v DRIVE MOTOR & END DRUM	

LOT	QTY	DESCRIPTION	NOTE
29		CONVEYOR SECTION WITH ENCLOSED COVER, INCLUDES ROLLERS, APPROX 8m LONG SUIT 450mm BELT 415v DRIVE MOTOR & END DRUM	
30		CONVEYOR SECTION WITH ENCLOSED COVER, PIVOTING, INCLUDES ROLLERS, APPROX 10m LONG SUIT 300mm BELT 415v DRIVE MOTOR & END DRUM	
31		JATMOR PUG MILL WITH SCREW FEED HOPPER, DUAL CHAIN DRIVE 4m (L) x 1700mm (W) APPROX	
32		HOPPER WITH SCREW OUTFEED, 415v MOTOR GEARBOX, 2100 x 2100 x 2300mm (H) INCLUDES WEIGHT SENSORS	
33		TRANSFIELD VIBRATING SCREEN, MODEL: DSS1410, STROKE: 9.7mm, 415v, 3.6kw, 3100 x 1200mm	
34		VIBRATING SCREEN, 415v, 2500 x 1100mm, REMOVABLE MESH	
35		PALLET LOT, ASSORTED VALVES & SOLENOIDS	
36		8 x BUTTERFLY VALVES, 300 & 250mm	
37		5 x GATE VALVES 2 x STAINLESS STEEL, 200mm, 3 x 180mm	
38		ASSORTED STAINLESS STEEL BALL & BUTTERFLY VALVES, 250/200/100mm	
39		AJAX CENTRIFUGAL PUMP MODEL: UN00825, M125/400, IMPELLA: 395mm, DOM: 1999, 415v 55kw MOTOR, 1480rpm, ON CONCRETE SKID	
40		AJAX CENTRIFUGAL PUMP MODEL: UN00825, M125/400, IMPELLA: 395mm, DOM: 1999, 415v 55kw MOTOR, 1480rpm, ON CONCRETE SKID	
41		ATLAS COPCO PACKAGED AIR COMPRESSOR, MODEL: ZR5ME, SERIAL: 18398 3	
42		APV HEAT EXCHANGER, DOM: 2000, SERIAL: 51323, H.T.S.A. 186m2, 150mm PIPE	
43		MODERN WEIGHBRIDGE, 4 x 3m, 3 TONNE CAP, RELOCATABLE	
44		HOPPER + BELT CONVEYOR, 750mm UNIT, 3.6 x 1.5m, 415v, AS NEW BELT	
45		PAIR POWER THERMAL COOLING TOWERS ON GALV STANDS, 2.2m DIAMETER FAN, 2.6 x 2.4 x 3.4m (H), WITH LINK PIPES, 415v (NO PUMP) NOTE: DISCONNECTION AT FIRST VALVE)	
46		PAIR POWER THERMAL COOLING TOWERS ON GALV STANDS, 2.2m DIAMETER FAN, 2.6 x 2.4 x 3.4m (H), WITH LINK PIPES, 415v (NO PUMP) NOTE: DISCONNECTION AT FIRST VALVE)	

LOT	QTY	DESCRIPTION	NOTE
47		PAIR POWER THERMAL COOLING TOWERS ON GALV STANDS, 2.2m DIAMETER FAN, 2.6 x 2.4 x 3.4m (H), WITH LINK PIPES, 415v (NO PUMP) NOTE: DISCONNECTION AT FIRST VALVE)	
48		PAIR POWER THERMAL COOLING TOWERS ON GALV STANDS, 2.2m DIAMETER FAN, 2.6 x 2.4 x 3.4m (H), WITH LINK PIPES, 415v (NO PUMP) NOTE: DISCONNECTION AT FIRST VALVE)	
49		AJAX CENTRIFUGAL PUMP, MODEL: 21074-7D, SIZE: E150-32, WITH NR VALVE & SHUT OFF VALVE, TECO 415v 45kw MOTOR, 4180rpm	
50		AJAX CENTRIFUGAL PUMP, MODEL: 21074-7D, SIZE: E150-32, WITH NR VALVE & SHUT OFF VALVE, TECO 415v 45kw MOTOR, 4180rpm	
51		AJAX CENTRIFUGAL PUMP, MODEL: 21074-7D, SIZE: E150-32, WITH NR VALVE & SHUT OFF VALVE, TECO 415v 45kw MOTOR, 4180rpm	
52		LARGE QUANTITY GALV PIPE, 250mm, INCLUDES SHUT OFF VALVES, NOTE: DISCONNECT AS PER MARKING	
53		MARKON 515kva GENSET, DIESEL, 20ft SHIPPING CONTAINER, V12 CUMMINS, DOM: 1980, TWIN TURBO, ALTERNATOR TYPE: B6554F, MOTOR MODEL: VTA1710-G, TYPE : 57570, RECENTLY TEST RUN	
54		SWITCH ROOM ELEVATED, 9 x 4.1m DUAL ACCESS WITH STAIRS, PLATFORM HEIGHT 1500mm, OVERALL HEIGHT 3300mm, HAD CONTROL CABINETS & SOME SWITCHGEAR, (PLEASE INSPECT)	
55		2 x LARGE CAP SUBMERSIBLE PUMPS, 415v, 150mm OUTLET PIPE, ABOVE WATER MOTOR WITH SUB PUMPS & SCREENS	
56		AUGER SCREW CONVEYOR, 6m x 250mm, 415v DRIVE	
57		CONTROL AUTOMATION BULKA BAG FILLING STATION, 2 SECTIONS, WITH BAG FILLING STATION & WEIGHT CONTROL PLATFORM	
58		14 x PALLETS OF RHI FIREBRICKS, 350 x 160 x 115mm, TYPE: RADEX DB6 R1, APPROX 1000 BRICKS	
59		11 x PALLETS OF RHI FIREBRICKS, 350 x 160 x 115mm, TYPE: RADEX DB6 R1, APPROX 800 BRICKS	
60		10 x PALLETS OF RHI FIREBRICKS, 350 x 160 x 115mm, TYPE: RADEX DB6 R1, APPROX 700 BRICKS	
61		13 x PALLETS OF RHI FIREBRICKS, 350 x 160 x 115mm, TYPE: RADEX DB6 R1, APPROX 950 BRICKS	
62		10 x PALLETS OF RHI FIREBRICKS, 350 x 160 x 115mm, TYPE: RADEX DB6 R1, APPROX 700 BRICKS	
63		12 x PALLETS OF RHI FIREBRICKS, 350 x 160 x 115mm, TYPE: RADEX DB6 R1, APPROX 900 BRICKS	

LOT	QTY	DESCRIPTION	NOTE
63a		10 x PALLETS OF RHI FIREBRICKS, 350 x 160 x 115mm, TYPE: RADEX DB6 R1, APPROX 700 BRICKS	
64		FEED HOPPER HD WITH LOAD CELLS, 2800 x 2000mm ON STAND, CONTROL PANEL, OUTFEED CONVEYOR, 3m x 600mm	
65		FEED HOPPER HD WITH LOAD CELLS, 1500 x 1200mm ON STAND, CONTROL PANEL, OUTFEED CONVEYOR, 1800 x 450mm	
66		FEED HOPPER HD WITH LOAD CELLS, 1500 x 1200mm ON STAND, NO CONTROL PANEL, OUTFEED CONVEYOR, 4500 x 450mm	
67		FEED HOPPER HD WITH LOAD CELLS, 2800 x 2000mm ON STAND, CONTROL PANEL, OUTFEED CONVEYOR, 4500 x 450mm	
68		OUTFEED BELT CONVEYOR, 18m x 600mm, HALF LENGTH COVERED, WITH PRODUCT SHEET & ELEVATION STANDS, 415v DRIVE	
69		WARMAN EQUIPMENT PUG MILL, MODEL: SY58, 2600 x 900mm, DOM:2000, 415v DRIVE	
70		BELT CONVEYOR, 60m x 600mm, INCLINED, WITH BELT DRIVE	
71		PAIR INTERNATIONAL AUSTRALIAN COMBUSTION HAMMER MILLS, WITH DUAL FEED HOPPERS & 2 x GAS DRYERS	
72		BLOWER, 415v, 3 hp, WITH STAINLESS STEEL SHUTOFF VALVE, CONTROL SWITCH & ES	
73		BAG HOUSE WITH WEATHER PROOF STRUCTURE, FEED HOPPERS, INSULATED BULK SILO, OUTFEED PUMPS	
74		DSC ROOM, 6 x 3m, WITH 8 x CONTROL CUPBOARDS, LARGE MGE SYSTEMS UPS (SOME CONTROL GEAR) PLEASE INSPECT	
75		BUSHMAN POLY TANK,10,000L	
76		BUSHMAN POLY TANK,10,000L	
77		AQUAPLUS CENTRIFUGAL PUMP, MODEL: AP32-26-S30-11002, 415v, 15kw	
78		AQUAPLUS CENTRIFUGAL PUMP, MODEL: AP32-26-S30-11002, 415v, 15kw	
79		ARMSTRONG HOLLAND ROTARY DRYING KILN, GAS FIRED, GEAR DRIVE, 8m x 1.2m, 3 BURNER CONTROL	
80		ARMSTRONG HOLLAND ROTARY KILN, MODEL: RK400450/PR, SERIAL: 60-81580, GAS FIRED	
81		INSINERATOR, NATURAL GAS FIRED, INCLUDED 415v BLOWER, CONTROL PANEL	

LOT	QTY	DESCRIPTION	NOTE
82		ELEVATED COAL DELIVERY BUNKER WITH WEATHERPROOF COVER, JACMORE OUTFEED AUGER, 5m x 250mm APPROX	
83		INCLINE BELT CONVEYOR, 30m x 450mm BELT APPROX WITH DRIVE MOTOR	
84		ALLIS CHALMERS GAS FIRED COAL CARBONISING ROTARY KILN, CONTROL PANEL, ON ELEVATED PLATFORM	
85		INCLINE BELT CONVEYOR, 9m x 450mm APPROX, 415v DRIVE	
86		THIESS, INFEED HOPPER SYSTEM WITH BLOWER	
87		CONVEYOR BELT (USED), 216m (L), 900mm (W), 4 PLY, 10/3, 20mm THICK	
88		CONVEYOR BELT (USED), 84m (L), 900mm (W), 4 PLY, 6/2, 15mm THICK	
89		CONVEYOR BELT (USED), 84m (L), 900mm (W), 4 PLY, 10/3, 20mm THICK	
90		CONVEYOR BELT (USED), 26m (L), 900mm (W), 4 PLY, 6/2, 10mm THICK	
91		CONVEYOR BELT (USED), 33m (L), 900mm (W), 4 PLY, 6/2, 10mm THICK	
92		CONVEYOR BELT (USED), 42m (L), 900mm (W), 4 PLY, 6/2, 10mm THICK	
93		CONVEYOR BELT (USED), 72m (L), 900mm (W), 4 PLY, 6/2, 10mm THICK	
94		CONVEYOR BELT (USED), 92m (L), 900mm (W), 3 PLY, 6/2, 8mm THICK	
95		CONVEYOR BELT (USED), 86m (L), 900mm (W), 4 PLY, 10/3 16mm THICK	
96		CONVEYOR BELT (USED), 82m (L), 900mm (W), 4 PLY, 10/3 16mm THICK	
97		CONVEYOR BELT (USED), 87m (L), 900mm (W), 4 PLY, 10/3 16mm THICK	
98		CONVEYOR BELT (USED), 84m (L), 900mm (W), 4 PLY, 10/3 16mm THICK	
99		CONVEYOR BELT (USED), 139m (L), 900mm (W), 4 PLY, 10/3 12mm THICK	
100		CONVEYOR BELT (USED), 83m (L), 900mm (W), 4 PLY, 10/3 16mm THICK	
101		PORTABLE HOPPER WITH FORK POCKETS, 1200 x 1200 x 1700mm (H)	
102		CONVEYOR BELT, 40m (L) x 300mm (W)	
103		BELT CONVEYOR FRAME, 7.5m WITH END ROLLER, NO BELT	

LOT	QTY	DESCRIPTION	NOTE
104		SCREW CONVEYOR WITH DRIVE MOTOR, 415v, 3.2m x 200mm	
105		HD SLURRY TANK WITH TAPERED BOTTOM, 3.2 x 1.5m	
106		BELT CONVEYOR, 7m x 450mm BELT WITH DRIVE MOTOR & COVER	
107		SCREW CONVEYOR WITH DRIVE MOTOR, 7.2m x 300mm APPROX	
108		SMALL CONE HOPPER ON STAND GALVANISED, 1200mm (D), 2900mm (H), 4' AUGER OUTFEED & ELECTRICAL CONTROL	
109		STEEL FRAME WALK OVER WITH SAFETY RAILS, 900mm (H), 4100mm DECK, 6500mm OVERALL LENGTH	
110		8 x HD STEEL TANKS, CONCRETE LINED, USED AS LOADING RAMP, 3000 x 1000 x 700mm	
111		TMH STEEL HOPPER ON STAND WITH OUTFEED AUGER, CHAIN DRIVE 7.5kw, 415v, 2800 x 2900 x 4500mm (H)	
112		McLANAHAN PUG MILL ON ELEVATED PLATFORM, MODEL: 12x10 BLENDER MASTER, DOM: 2007, 415v 7.5kw MOTOR, WITH SAFETY RAIL	
113		STEEL STAIRCASE, 4m RISE, 900mm (W) WITH HANDRAILS	
114		TRANSMIN SILO ON STAND, 160m3, WITH VIBRATING CONE, ROTARY VALVE, SERIAL: RV-200-066, MODEL: HD200 INCLUDES ACCESS STAIRCASE & PLATFORM, SEPARATES AT LOWER RUBBER COUPLER	
115		SCRUBBER TOWER & BLOWER, MANUFACTURED AIR ENG PTY LTD. SERIAL: D0401589, 110kw 415v 1470rpm, DOM: 2007, LIMESTONE SLURRY INJECTION	
116		WARMAN PUMP, 8/6 FRAME: E, TYPE: AH, SERIAL: SY76295, SUPPLIED BY WIER METALS AUSTRALIA, 110kw, 415v, 1482rpm	
117		WARMAN PUMP, 8/6 FRAME: E, TYPE: AH, SERIAL: SY76294, SUPPLIED BY WIER METALS AUSTRALIA, 110kw, 415v, 1482rpm	
118		TRANSMIN LIMESTONE SLURRY TANKS, DOM: 2007, TANK: TK-510, CAP: 32m3, TANK SIZE: 4100mm (D), 3100mm (H) WITH TRANSMIN VORTEX MIXER, MODEL: 650/150, DOM: 2007, INCLUDES INFEEED CHUTE WITH VIBRATING MOTOR & PADDLE MIXER, INCLUDED BONFIGLIOLI , 5.5kw, INCLUDES TREAD MESH PLATFORM & OUTFEED PUMP	
119		HD STEEL STAND, 4 LEG, 2900 x 1450 x 1080mm (H), 250UC	
120		ASM BELT DRIVE PUMP, MODEL: DS32, 415v	
121		ELEVATED SWITCHBOARD ROOM, 4800 x 2400mm, DUAL ACCESS WITH STAIRS	

LOT	QTY	DESCRIPTION	NOTE
122		BELT CONVEYOR, ELEVATED, 14m x 450mm WITH DRIVE	
123		SCREW CONVEYOR, 8.3m x 250mm WITH MOTOR DRIVE, ALL FAULTS	
124		SCREW CONVEYOR, TMH, 5.2m x 250mm WITH DRIVE	
125		INSULATED BAG HOUSE WITH BASE HOPPER, SCREW CONVEYOR OUTFEED ON STAND	
126		INSULATED BAG HOUSE SCREW CONVEYOR OUTLET ON STAND	
127		STAIRCASE UNIT STEEL GALV, 4.7m x 3m x 8m RISE	
128		LANCE AGITATED METAL FURNACE, WITH GASTRO NATURAL GAS FIRED HEAT BURNER, ENCLOSED IN WEATHERPROOF STEEL STRUCTURE INCLUDES: 3 x 5 TONNE WIRE ROPE HOISTS, EXTERNAL STAIR ACCESS	
129		TRAIN BOGEY, 4 WHEELS, WITH STEEL FRAME	
130		ESSA LAB PULVERISING MILL, MODEL: 100100, 415v	
131		VACANT	
132		TRANSPORTABLE ROOM, 3.7 x 2.5m, SINGLE DOOR, POWER BOARD, LIGHTS & GPO'S, 2 x HAND BASINS	
133		TRANSPORTABLE ROOM, 3.6 x 2.35m, SINGLE DOOR, SINGLE WINDOW, SUB BOARD, A/C, WITH LIFT FRAME	
134		GARDEN ART, LARGE STEEL BIN 2100 x 2100 x 900mm	
135		THE COAL MOUNTAIN, LARGE QUANTITY SMALL COAL, DIRT COVERED FOR PRESERVATION	
136		10 x 2 TONNE BULKA BAGS OF LIME	
137		10 x 2 TONNE BULKA BAGS OF LIME	
138		10 x 2 TONNE BULKA BAGS OF LIME	
139		10 x 2 TONNE BULKA BAGS OF LIME	
140		TECO 50hp/37kw, 1,475rpm, 415v ELECTRIC MOTOR IN CRATE	
141		4 x BLOWER FANS, 500mm, 415v ON PALLET	
142		ASM BELT DRIVE PUMP, 415v, 2 INCH	