


ELECTRICAL LEGEND	
	SGLE GPO @ 1600 ABOVE F.L
	CIRCUIT BOARD(POINT OF ENTRY)
	LIGHT SWITCH DBLE
	EXTERNAL LIGHT
	OYSTER LIGHT FITTING



PANEL BUILDING SHORT SPECIFICATION :

- .. STEEL CHASSIS C/W GALV. JOISTS 75 x 40 x1.6mm @ MAX 400 CTRS
- .. 15mm PLYWOOD FLOORING
- .. 1.5mm VINYL FLOOR FINISH
- .. WALLS EXT 75mm PANEL c/w 0.4mm C/BOND FACINGS
- .. WALLS INT 50mm PANEL c/w 0.4mm C/BOND FACINGS
- .. 75mm FIBRE GLASS R1.8 INSULATION TO ROOF BETWEEN CEILING JOISTS
- .. GALV. STEEL CEILING / ROOF FRAME WITH ZINCALUME DECKING
- .. CEILING HEIGHT ...2400...
- .. PRE-FINISHED PLYWOOD CEILINGS c/w ALUMIN. CORNICE
- .. COLORBOND ROOF FLASHINGS & CORNER TRIMS
- .. GALV. EXTERNAL DOOR FRAME - POWDERCOATED

EQUIPMENT LIST:

- 1.. 2040 x 820 PLAIN METAL EXTERNAL DOOR
- 2.. 350 x 750 FIXED VENTED WINDOW
- 3.. TOILET PAN C/W DUAL FLUSH CISTERN & PAPER HOLDER
- 4.. S.S. HAND BASIN C/W MIRROR & SHELF OVER
- 5.. 1800 LONG S.S. WALL MOUNTED URINAL C/W CISTERN
- 6.. 750 WIDE INTERNAL - TOILET CUBICLE C/W 600 WIDE DOOR & INDICATOR BOLT

BUILDING DESIGN CRITERIA
 Wind Load - in Accordance with AS.1170.2:2002
 REGION A, TERRAIN CATEGORY 2
 Annual Probability of Exceedance 1:500
 REGIONAL WIND SPEED - V500 = 45 m/s

REGION A - All glazing & window assemblies shall comply with the following requirements:
 . Australian Standard AS 2047 - Windows in buildings
 . Water Penetration Resistance Test Pressure 150 Pa
 . Ultimate Strength Test Pressure 1300 Pa

NOTE:
THESE DRAWING ARE
PROTECTED BY
COPYRIGHT LAWS...

DO NOT SCALE
DRAWINGS..REF
TO DIMENSIONS ONLY.

Fleetwood
PORTABLES

555 WATERLOO CNR RD , BURTON S.A. 5110
PH: 8280 5500 FAX: 8280 5511

LOT 1101 - 1102 MOOLIGUNN RD , KARRATHA
W.A. 6714 PH: 9144 4400 FAX: 9144 4430

HEAD OFFICE
21 CASINO ST WELSHPOOL W.A 6105
PH: 9353 2822 FAX: 9353 3866

DALGETY RD ALICE SPRINGS N.T. 0870
PH: 8952 1699 FAX: 8952 1177

LOT 1690 MCKINNON RD. BERRIMAH, DARWIN
N.T. 0820 PH: 8932 4900 FAX: 8932 4888

CLIENT:	FLEETWOOD PORTABLES	ORIGINAL SCALE:	
		1: 50	
TITLE:	STANDARD T4-A	DWN BY:	DATE:
		DCT	30.04.04
	4.8 x 3m TOILET BLOCK	DWG No:	REV:
		T4-A	