

Canon imagePROGRAF iPF610 Status Print

Firm:01.36 Boot:01.11 MIT(DBF):3.00 MIT(DB):2.02 S/N:AFD00101 MC:20%

C: 60% M: 80% Y: 80% MBK:100% MBK2:100% BK:100%

Media Menu

Cassette Paper Type : Plain Paper

Cassette Paper Size : ISO A4

Roll Media Type : Plain Paper

Check Remain. Roll : Off

Manual Paper Type : Plain Paper

Adjust Printer

Head Adjust

Auto Print : On

A1 : 2 A2 : 2 A3 : 5 A4 : 4 A5 : 4 A6 : 4

A7 : 3 A8 : 2 A9 : 2 A10: 2 A11: 2 A12: 2

A13: 2 A14: 4 A15: 3 A16: 4 A17: 3 A18: 4

A19: 2 A20: 3 A21: 1 A22: 2 A23: 3 A24: 3

B1 : 3 B2 : 1 B3 : 3 B4 : -1 B5 : 4 B6 : -1

B7 : -2 B8 : 1 B9 : 0 B10: -3 B11: 1 B12: -3

C1 : 1 C2 : 2 C3 : 2 C4 : 2 C5 : 2

C11: 1 C12: -1 C13: 3 C14: 3 C15: 2

D1 : 8 D2 : 10 D3 : 10 D4 : 9 D5 : 8 D6 : 7

D7 : 5 D8 : 5 D9 : 5 D10: 5 D11: 4 D12: 2

E1 : 0 E2 : 0 E3 : 1 E4 : 1 E5 : 1 F1 : 2

Feed Priority : Automatic

Adjust Length : 0.00%

HP-GL/2 Settings

Color Mode : Color

Print Quality : Standard

Input Resolution : 600dpi

Media Source : Automatic

Conserve Paper : Off

Line Cap : Software

Smoothing : Software

Line Width : 4dot

ThickenFineLines : Off

AdjustFaintLines : Off

Interface Setup

EOP Timer : 10min.

TCP/IP

IP Mode : Manual

Protocol

DHCP : Off

BOOTP : Off

RARP : Off

IP Setting

IP Address : 192.168.0.50

Subnet Mask : 255.255.255.0

Default G/W : 192.168.0.254

NetWare : Off

AppleTalk : Off

Ethernet Driver

Auto Detect : On

Spanning Tree : Not Use

MAC Address : 000085990CA8

Ext. Interface : No

System Setup

Warning

Buzzer : On

Detect mismatch : None

Keep Media Size : Off

Sheet Selection : ISO A3+

Roll Selection1 : ISO A3 (297mm)

Roll Selection2 : 10inch (254mm)

TrimEdge Reload : Off

Noz. Check Freq. : Automatic

Sleep Timer : 5min.

Length Unit : meter

Time Zone : 0 : London(GMT)

Date Format : yyyy/mm/dd

Language : English

Contrast Adj. : 0

Information

RAM : 256MB

Error Log :

01:03060A00-2E01 02:03060A00-2E01 03:03060A00-2E1B 04:03810106-2507 05:03810106-2507

Network(RemoteUI)

TCP/IP

Frame Type	: Ethernet II
Use DHCP	: Off
Use BOOTP	: Off
Use RARP	: Off
Enable DNS Dynamic Update	: Off
Use Zeroconf Function	: On
IP Address	: 192.168.0.50
Subnet Mask	: 255.255.255.0
Gateway Address	: 192.168.0.254
LPD Printing	: On
IPP Printing	: On
IPP Printer URI	: printer
RAW Printing	: On
Raw Port Number	: 9100
Raw Mode Bi-direction	: Off
FTP Printing	: On
Primary DNS Server Address	: 0.0.0.0
Secondary DNS Server Address	: 0.0.0.0
DNS Host Name	: NB-17FB00085990CA8
DNS Domain Name	:
Multicast DNS Service Name	: Canon iPF610 (990CA8)

NetWare

Frame Type	: Disabled
IPX External Network Number	:
Node Number	:
Print Service	: NDS PServer
Tree Name	:
Context Name	:
Print Server Name	:
Print Server Password	: No print server password.
Polling Interval	: 5Sec.

AppleTalk

Phase Type	: Disabled
Name	: Canon NB-17FB (990CA8)
Network Number	: 0.0
Zone	: *

HEAD LOT NUMBER
LOT:B61C23A1a

PARTS STATUS

COUNTER A:OK B:OK D:OK F:OK H:OK L:OK P:OK Q:OK R:OK V:OK

COUNTER

CUTTER : 4600

MEDIA

LIFE TTL : 2217.4 m2 23868.3 sq.f
LIFE ROLL : 2217.1 m2 23865.6 sq.f
LIFE CUTSHEET : 0.0 m2 0.0 sq.f
LIFE CASSETTE : 0.2 m2 2.6 sq.f

MEDIA 1

MEDIA 2

NAME	:Plain Paper	NAME	:Plain Paper HQ
TTL	: 2188.6 m2 23558.8 sq.f	TTL	: 2.4 m2 26.8 sq.f
ROLL	: 2188.4 m2 23556.1 sq.f	ROLL	: 2.4 m2 26.8 sq.f
CUTSHEET	: 0.0 m2 0.0 sq.f	CUTSHEET	: 0.0 m2 0.0 sq.f
CASSETTE	: 0.2 m2 2.6 sq.f	CASSETTE	: 0.0 m2 0.0 sq.f

MEDIA 3

MEDIA 4

NAME	:Plain Paper HG	NAME	:Special 1
TTL	: 0.4 m2 5.3 sq.f	TTL	: 0.3 m2 3.3 sq.f
ROLL	: 0.4 m2 5.3 sq.f	ROLL	: 0.3 m2 3.3 sq.f
CUTSHEET	: 0.0 m2 0.0 sq.f	CUTSHEET	: 0.0 m2 0.0 sq.f
CASSETTE	: 0.0 m2 0.0 sq.f	CASSETTE	: 0.0 m2 0.0 sq.f

MEDIA 5

MEDIA 6

NAME	:PlainP_ConsumBK	NAME	:Recycled Coated
TTL	: 0.0 m2 0.0 sq.f	TTL	: 0.0 m2 0.0 sq.f
ROLL	: 0.0 m2 0.0 sq.f	ROLL	: 0.0 m2 0.0 sq.f
CUTSHEET	: 0.0 m2 0.0 sq.f	CUTSHEET	: 0.0 m2 0.0 sq.f
CASSETTE	: 0.0 m2 0.0 sq.f	CASSETTE	: 0.0 m2 0.0 sq.f

MEDIA 7

MEDIA OTHER

NAME	:High Resolution	NAME	:OTHER
TTL	: 0.0 m2 0.0 sq.f	TTL	: 0.0 m2 0.0 sq.f
ROLL	: 0.0 m2 0.0 sq.f	ROLL	: 0.0 m2 0.0 sq.f
CUTSHEET	: 0.0 m2 0.0 sq.f	CUTSHEET	: 0.0 m2 0.0 sq.f
CASSETTE	: 0.0 m2 0.0 sq.f	CASSETTE	: 0.0 m2 0.0 sq.f

AFTER INSTALLATION 2359 DAYS